

QUAD

the closest approach to the original sound

Quad Price list

1st December 2011

ELITE SERIES


RRP

Elite FM

£ 599.95

FM Tuner, can only be powered from a Elite Preamplifier,
20 Presets.

Dimensions mm (h x w x d): 70 x 321 x 310mm



Elite Mono

£ 649.95

150W Mono power preamplifier, includes Ampbus input and
conventional phono input.

Dimensions mm (h x w x d): 70 x 321 x 310mm




Elite Stereo

£ 699.95

80W stereo power preamplifier, includes an Ampbus input and
conventional RCA inputs.

Dimensions mm (h x w x d): 70 x 321 x 310mm



Elite CDS

£ 799.95

Compact Disc CD Player

D/A Converter : Crystal CS4398 24 bit DAC

Output : 1x Optical TosLink, SPDIF audiophile quality

Dimensions mm (h x w x d): 70 x 321 x 310mm



Elite Pre


£ 849.95

Pre-amplifier, internal MM/MC cards

Supplied with system remote, balance, bass and tilt controls.

Adjustable input sensitivity.

Dimensions mm (h x w x d): 70 x 321 x 310mm



Elite CDP

£1,199.95


Compact Disc Player with Pre-Amp

D/A Converter : Crystal CS4398 24 bit DAC

Input : 6 digital inputs (3 x RCA coax 75 Ohms, SPDIF, 3 x optical
TosLink, SPDIF)

Output : 1x Optical TosLink, SPDIF audiophile quality

Dimensions (h x w x d): 70mm x 321mm x 310mm



IAG

IAG House, Sovereign Court, Ermine Business Park,
Huntingdon, Cambs, PE29 6XU, UK

Tel: +44(0)1480 447700, Fax: +44(0)1480 431767

<http://www.quad-hifi.co.uk>

QUAD

the closest approach to the original sound

Quad Price list


1st December 2011

ELITE SERIES

RRP


Elite Integrated

Integrated amplifier;
Gain(line inputs): 37dB max.;
Inputs: 2 x RCA input, TAPE IN;
Outputs: 1 x Pre-out, TAPE OUT;
Rate Power Output: 2 x 80W RMS / 8 ohms, 2 x 140W RMS / 4 ohms; £ 899.95
Frequency Response: 20Hz~20kHz (+/-0.3dB);
Total Harmonic Distortion: <0.005%(at1kHz), <0.05%(20Hz~20kHz);
Signal-to-noise Ratio(S/N): 105dB(rated output)
Dimensions(H x W x D): 70 x 321 x 310mm



Elite QSP

Stereo Power Amplifier;
Design Philosophy And Core Technology: Current Dumping;
Rated Power Output: 2 x 140W RMS / 8ohms, 2 x 210W RMS / 4ohms;
Gain: 33dB; £ 1199.95
Frequency Response: DC - 29kHz(+/-1dB);
Total Harmonic Distortion:<0.004% at 100W, 1kHz, <0.05% at 70W, 20kHz;
Signal-to-noise Ratio (S/N): >108dB(20Hz-20kHz) ref 140W;
AMPBUS Input Sensitivity: 2.0V(for max output);
AMPBUS Input Impedance: 10 kohms;
Dimensions(H x W x D): 149 x 328 x 270mm



ER-1 Remote

£ 59.95

Optional System Remote control for Elite Series



PERFORMANCE CABLE SERIES

QD-900

£129.95

Performance Digital Interconnect (1.5m)



QA-900

£249.95

Performance Analogue Cable (1.5m)



IAG

IAG House, Sovereign Court, Ermine Business Park,
Huntingdon, Cambs, PE29 6XU, UK
Tel: +44(0)1480 447700, Fax: +44(0)1480 431767
<http://www.quad-hifi.co.uk>

QUAD

the closest approach to the original sound

Quad Price list

1st December 2011


12L CLASSIC

RRP

"Specifications: 2-way bookshelf speakers; Bass Reflex; Midbass Driver: 165mm woven Kevlar cone; Treble Driver: 25mm fabric dome; Crossover Frequency: 2.4kHz; Frequency Response: 48Hz-23kHz(+/-3dB); Sensitivity SPL/M @ 2.83V: 87dB; Nominal Impedance: 6 ohms; Minimum impedance: 3.8 ohms; Recommended Amp: 50-150W Dimensions (h x w x d): 340mm x 205mm x 279mm"


Veneer options: Classique Cherry & Deep Rose

£499.95



Piano options: Piano Black & Piano Classique Cherry

£619.95



Link D1

USB DIGITAL Converter; Resolution: 24 bits/32kHz~192kHz; Digital input: USB 1.1 and 2.0 compliant; Digital outputs: S/PDIF coaxial x 1, Toslink optical x 1; Displayed sampling frequencies: 44.1kHz, 48kHz, 88.2kHz, 96kHz, 176.4kHz, 192kHz; Analogue output level: 2.2V; Output impedance: 100ohms; Frequency response: 20Hz-20kHz(+/-0.2dB); Dynamic range: 110dB; Dimensions (W x D x H): 130mm x 108mm x 42mm"

£399.95



IAG

IAG House, Sovereign Court, Ermine Business Park,
Huntingdon, Cambs, PE29 6XU, UK
Tel: +44(0)1480 447700, Fax: +44(0)1480 431767
<http://www.quad-hifi.co.uk>

QUAD

the closest approach to the original sound

Quad Price list

1st December 2011

23L CLASSIC

RRP

"Specifications: 3-way floorstand speaker; Reflex box with auxiliary bass radiator (ABR); ABR: 165mm; Midbass Driver: 125mm woven Kevlar cone; Midrange Driver: 25mm woven Kevlar cone; Treble Driver: 25mm fabric dome; Frequency Response: 40Hz-23kHz(+/-3dB); Sensitivity (2.83V @ 1m): 88dB; Recommended Amp: 50-200W; Peak SPL: 110dB; Nominal Impedance: 8 ohms; Minimum Impedance: 4ohms; Bass Extension(-6dB): 35Hz; Crossover Frequency: 450Hz, 2.2kHzDimensions (h x w x d): 925mm x 225mm x 316mm"

Veneer options: Classique Cherry & Deep Rose

£1299.95



Piano options: Piano Black & Piano Classique Cherry

£1599.95



IAG

IAG House, Sovereign Court, Ermine Business Park,
Huntingdon, Cambs, PE29 6XU, UK

Tel: +44(0)1480 447700, Fax: +44(0)1480 431767

<http://www.quad-hifi.co.uk>

QUAD

the closest approach to the original sound

Quad Price list

1st December 2011

PERFORMANCE CABLE SERIES

RRP

QA-900

Performance Analogue Cable (0.75m)

£199.95



QL-900

Performance Speaker Cable (3.0m)

£349.95




11L CLASSIC

"Specifications: 2-way bookshelf speakers; Bass Reflex; Midbass Driver: 125mm woven Kevlar cone; Treble Driver: 25mm fabric dome; Crossover Frequency: 2.2kHz; Frequency Response: 48Hz-22kHz(+/-3dB); Sensitivity SPL/M @ 2.83V: 87dB; Nominal Impedance: 6 ohms; Minimum impedance: 4.2 ohms; Recommended Amp: 30-150W Dimensions (h x w x d): 310mm x 190mm x 263mm"


Veneer options: Classique Cherry & Deep Rose

£349.95



Piano options: Black & Classique Cherry

£399.95



IAG

IAG House, Sovereign Court, Ermine Business Park,
Huntingdon, Cambs, PE29 6XU, UK
Tel: +44(0)1480 447700, Fax: +44(0)1480 431767
<http://www.quad-hifi.co.uk>