



Control 10

The Control 10 is the first of a new generation of Meridian Sooloos devices which provide high-quality digital audio outputs as well as the acclaimed vivid touch interface to interact with your media library. It features a high-contrast 17-inch LCD display, resistive touch panel, and CD mechanism for importing music.

Integrated heatsinks in the Control 10's machined aluminium chassis eliminate fans – making it completely silent – so it's right at home in the most discriminating listening environment. Like all Meridian Sooloos components, the Control 10 connects to the system using standard TCP/IP Ethernet, using either the supplied Neutrik EtherCon connectors or any CAT5/5e/6 cable with RJ-45 connectors.

Technical Specifications:

DIMENSIONS:

457 x 345 x 185mm / 18 x 13.6 x 7.3in (WHD)

WEIGHT: 10.75kg (23.6lb)

TILT: Adjusts from 0° (vertical) to 50° (tilted)

NETWORK CONNECTIONS:

1 Ethernet (RJ-45) or Neutrik EtherCon

POWER CONNECTIONS:

12V DC input, external AC adapter 110-230V

Removable IEC 3-prong power cable

AUDIO CONNECTIONS:

1 S/PDIF coaxial digital output, RCA type

Meridian SpeakerLink

CONTROL CONNECTIONS:

Meridian Comms

RS-232

LCD DISPLAY:

Screen Size: 17 inch diagonal (43cm)

Resolution: 1280 x 1024 pixels

Brightness: 350 cdm2

Viewing Angle: 150°

TOUCH PANEL:

Type: Analogue resistive 5-wire


Activation Force: < 50g

Structure: Film/Glass

Lifetime Durability: 35 million touches

REAR VIEW:





Control Mac / Control PC

Download Control Mac (Macintosh) or Control PC (Windows) for additional functions like importing CDs and music files, making backups of your library, or exporting music to your computer. Both Mac and PC versions are essentially identical. Browse the content stored on your Meridian Sooloos system and synchronize it seamlessly with iTunes or other computer applications. Control Mac (pictured above) and Control PC are free downloads available to all Meridian Sooloos owners.



SYSTEM REQUIREMENTS – WINDOWS/PC:

Microsoft Windows XP (service pack 2) or later



SYSTEM REQUIREMENTS – MACINTOSH:

Mac OS X – 10.5.x (Leopard) or later



Control Web

Control Web allows any computer or mobile device capable of running a web browser to act as a control and playback device for your Sooloos system. It provides a simple way to browse music, build playlists, edit metadata, and stream content to any of your Sooloos zones or straight to your computer, whether you're at home or connecting over the Internet.

REQUIREMENTS:

Web-enabled computer or mobile device

AVAILABLE TO OWNERS AT NO CHARGE



Crestron Integration

Sooloos provides a Crestron SIMPL+® module which speaks to the Sooloos system, enabling transport and playlist control and music browsing/selection capabilities. Along with the module, Sooloos provides various VT Pro-e® projects which have custom designed graphics for a variety of Crestron devices (device types supported may vary: discuss with your retailer).

Sooloos Control series devices are also capable of hosting Crestron XPanel projects, allowing them to function as Crestron control points.

REQUIREMENTS:

Crestron 2-Series processor with ethernet capability.

AVAILABLE TO OWNERS AT NO CHARGE



iPhone/iPod Touch System Control App

The world's most popular smartphone can become a rich, full-featured remote for the world's most innovative media server. WiFi allows true two-way communication with the Sooloos system, providing a means to browse large collections simply. The application can be downloaded direct from Apple's iPhone App Store free of charge. When run, it finds Sooloos zones on your local network automatically, and provides comprehensive, flexible control.

REQUIREMENTS:

Any Apple iPhone or iPod Touch with 802.11b/g/n wireless access to the same network as your Sooloos system.

AVAILABLE FREE FROM THE IPHONE APP STORE



Source:One

The Source:One acts as the hub of a Meridian Sooloos system and provides its audio outputs. It features both stereo RCA-type analogue and S/PDIF digital outputs for connection to your stereo or audio distribution system. In addition to having a high-quality internal DAC, the Source:One is completely fanless and has no moving parts, making it completely silent – a perfect fit in any high-end audio reproduction system.

Meridian Sooloos Source components include an integrated four-port Ethernet switch for convenient connection to other Sooloos devices and to the Internet. Ethernet connections can be made using Neutrik EtherCon connectors (supplied) or standard CAT5/5e/6 cable with RJ-45 connectors.

Because of its distributed design, a Meridian Sooloos system can support multiple Source components. Expanding your system couldn't be simpler: just add Source components to your network for additional zones.

Technical Specifications:

DIMENSIONS:

430 x 70 x 364mm / 17 x 2.75 x 14.6in (WHD)
Dimensions include non-removable feet

WEIGHT: 5.8kg (12.8lb)

AUDIO CONNECTIONS:

Analogue: 1 unbalanced stereo pair, RCA type
Digital: 1 S/PDIF coaxial digital output, RCA type

NETWORK CONNECTIONS:

4 network connections, RJ-45 or Neutrik EtherCon

POWER CONNECTIONS:

12V DC input, external AC adapter 110-230V
Removable IEC 3-prong power cable

ADDITIONAL VIEWS:



Twinstore

The Twinstore is a network attached storage device. It features two removable hard disk trays; one for primary storage and one for mirrored backup storage. All mirroring takes place automatically, giving you a zero-downtime backup of your library.

With a pair of one-terabyte hard disks, the Twinstore provides mirrored storage of about 2,400 albums. Music is stored as lossless FLAC audio files for use by the Sooloos system and as MP3s for export to your iPod or other portable device.

Like all Meridian Sooloos components, the Twinstore connects to other devices in the system over standard TCP/IP Ethernet, using CAT5/5e/6 cables with RJ-45 connectors. This allows the Twinstore to be located outside the listening environment for silent system operation. Unlimited Store Series components can be added to a system for additional storage.

The operating system is stored in read-only flash memory, which greatly increases reliability as it cannot be corrupted.



Technical Specifications:

DIMENSIONS:

430 x 70 x 364mm / 17 x 2.75 x 14.6in (WHD)
Dimensions include non-removable feet

WEIGHT: 5.8kg (12.8lb)

NETWORK CONNECTIONS:

1 Ethernet (RJ-45) or Neutrik EtherCon

POWER CONNECTIONS:

12V DC input, external AC adapter 110-230V
Removable IEC 3-prong power cable

REMOVABLE DRIVE TRAYS (X 2):

Form Factor: 3.5 inch SATA
Drive Type: Serial ATA (SATA) – 7200 RPM
Connectors: SATA Data and SATA Power

STORAGE CAPACITY/EXPANDABILITY:

1 Terabyte = Approx. 2400 albums
Twinstore components can be added without limit

REAR VIEW:



Twinstore

All the features of a Twinstore in a standard 2U rack mountable chassis. Includes an internal fan and a front-mounted power switch.

Technical Specifications:

DIMENSIONS:

424 x 89 x 390mm / 16.7 x 3.5 x 15.4in (WHD)

WEIGHT: 5.8kg (12.8lb)

POWER CONNECTIONS:

115V/230V switchable,
Removable IEC 3-prong power cable

COOLING: Internal fan

Ensemble

The Ensemble combines the functions of Source and Store components in a single chassis and integrates fully with other Sooloos system components on the network.

It features four analogue stereo RCA-type outputs and an S/PDIF digital audio output for up to five discrete zones. Like all Meridian Sooloos components, the Ensemble connects to other devices in the system over standard TCP/IP Ethernet, using CAT5/5e/6 cables with RJ-45 connectors.

The Ensemble includes a removable hard disk tray for storage. With a one-terabyte hard disk, it has a 2,400-album capacity. Your music is stored as lossless FLAC audio for use by the Sooloos system and as MP3s for export to your iPod or other portable device. Ensemble can also access other storage on the network such as Twinstores.

A one-touch process in Control Mac/PC allows you to backup all the media stored on an Ensemble's drive to an external hard drive.

Turn any computer in the home into a CD ripper for the system with Control Mac/PC. No need to stand in front of the system waiting to load discs – load as you check email or surf the web!



Technical Specifications:

DIMENSIONS:

430 x 70 x 364mm / 17 x 2.75 x 14.6in (WHD)
Dimensions include non-removable feet

WEIGHT: 5.8kg (12.8lb)

AUDIO CONNECTIONS:

Analogue: 5 unbalanced stereo pairs, RCA type
Digital: 1 S/PDIF coaxial digital output, RCA type

NETWORK CONNECTIONS:

1 Ethernet (RJ-45) or Neutrik EtherCon

POWER CONNECTIONS:

12V DC input, external AC adapter 110-230V
Removable IEC 3-prong power cable

REMOVABLE DRIVE TRAY:

Form Factor: 3.5 inch SATA
Drive Type: Serial ATA (SATA) – 7200 RPM
Connectors: SATA Data and SATA Power

REAR VIEW:



Ensemble

All the features of an Ensemble in a standard 2U rack mountable chassis. Includes an internal fan and a front-mounted power switch.

Technical Specifications:

DIMENSIONS:

424 x 89 x 390mm / 16.7 x 3.5 x 15.4in (WHD)

WEIGHT: 5.8kg (12.8lb)

POWER CONNECTIONS:

115V/230V switchable,
Removable IEC 3-prong power cable

COOLING: Internal fan